



TAGORE MEDICAL COLLEGE & HOSPITAL

Rathinamangalam, Melakkottaiyur Post, Chennai - 600127.

Phone : 044-30101111, Fax : 044-222 5555, Email: tagoremch@gmail.com



(Affiliated to the Tamil Nadu Dr.MGR Medical University & Recognized by the Ministry of Health & Family welfare. Govt. of India New Delhi)

WASTE MANAGEMENT POLICY	Policy No : 33
	Issue No : 02
	No of Pages : 1-2
	Date : 20/04/2023
Next Revision	2026

POLICY	WASTE MANAGEMENT POLICY
PURPOSE	The purpose of the policy is to define the protocols related to biomedical waste management
SCOPE	The institution being a tertiary care centre which caters to many hundreds of outpatient and in patients, a well-defined mechanism is mandatory to collect, gather and dispose biomedical waste.
PROCEDURE	<ul style="list-style-type: none">• The biomedical waste are to be collected only in the colour coded bins such as plastic wastes in red colour, body parts and gauze in yellow colour bins, bottles and broken ampoules in blue and needle sharps in puncture proof white containers• The dust bins should have proper lids to prevent exposure to the environment• A separate area for biomedical waste segregation is available with separate rooms for each colour coded waste items• The biomedical wastes from operation theatre and other areas are transported to biomedical waste management room by attenders with due protection like gloves, mask and cap.• The institution has done a MOU with GJ Multiclave Pvt. Ltd. Chennai, for disposal of biomedical wastes.• The hazardous chemicals from the labs is treated via ETP and then disposed of appropriately.


DEAN

TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKKOTTAIYUR POST,

Trust Office : No.25, Mahalingam Street, Mahalingapuram, Nungambakkam, Chennai - 600 034, Ph: 044-2817 3772



TAGORE MEDICAL COLLEGE & HOSPITAL

Rathinamangalam, Melakkottaiyur Post, Chennai - 600127.

Phone : 044-30101111, Fax : 044-222 5555, Email: tagoremch@gmail.com




(Affiliated to the Tamil Nadu Dr.MGR Medical University & Recognized by the Ministry of Health & Family welfare. Govt. of India New Delhi)

	<ul style="list-style-type: none">There is a dedicated mechanism for E-waste management.The skilled technicians and carpenters of the institution are motivated to recycle the waste.
Frequency	3 Years
Related/Supportive Documents	As Per Norms
Custodian	IQAC Coordinator

Prepared by	Verified by	Approved by
 Maintenance Head	 IQAC Coordinator	 Dean

IQAC Co-ordinator
Tagore Medical College & Hospital
Rathinamangalam, Melakottaiyur P.O.
Chennai-600 127.

DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
CHENNAI-600 127.


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
CHENNAI-600 127.

Category of the Industry :

RED



CONSENT ORDER NO. 2305150409696 DATED: 18/05/2023.

PROCEEDINGS NO.T2/TNPCB/F.0826MMN/RL/MMN/W/2023 DATED: 18/05/2023

SUB: Tamil Nadu Pollution Control Board –CONSENT TO OPERATE – DIRECT -M/s. TAGORE MEDICAL AND DENTAL COLLEGE CAMPUS WITH HOSPITAL (TAGORE EDUCATIONAL TRUST) , S.F.No. 83, 84 (P), 87/4, 87/7, 89/1B (P), 92/1, 92/2, 92/3, 92/4, 93/1, 93/2, 93/3A, 93/3B, 93/4, 94/1, 94/4, 94/5, 94/6, 94/7, 95/1A, 95/1B, 95/1C, 95/1D, 95/2, 97/1, 97/2, 97/3, 97/4, 97/5, 97/6, 97/7, 97/8, 97/9, 97/10, 97/11, 97/12A, 97/12B, 97/13, 126/1, 126/2A, 126/2B, 126/2C, 126/2D, 126/3, 126/4B, 126/8, 126/9B, 127/1, 127/2, 127/3, 127/4A, 127/4B, 127/5, 127/6, 127/7, 127/8, 127/9A, 127/9B, 127/10, 127/11, 127/12, 127/13, 127/14, 127/15, 127/16, 128/1, 129/1A, 129/1B, 129/1C, 129/2A, 129/2B, 129/3A, 129/3B, 130/1A, 130/1B, 130/2, 130/3, 130/4, 130/5A, 130/5B, 131/1, 131/2A, 131/2B, 131/3, 131/4, 131/5, 131/6, 132/1, 132/2, 132/3, 132/5, 132/6A, 132/7, 132/8, 132/9, 132/11, 132/12, 132/13A, 132/13B, 132/14, 132/16, 132/17, 132/18, 132/19A, 132/19B, 133/1A, 133/1B, 133/1D1, 133/1D2, 133/2A, 134/1A2A, 134/1A2B, 134/1B, 134/2, 136/1, 136/2, 136/3, 136/4, 136/5, RUTHIRAMANGALLAM village Vandalur Taluk and Chengalpattu District - Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

Ref: 1. Unit's application no. 50409696 dated: 30.03.2023.
2. IR.No : F.0826MMN/RL/AE/MMN/2023 dated 11/05/2023
3. Minutes of the 214th TSC meeting vide item No. 214-09 dated:11.05.2023.

CONSENT TO OPERATE is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

Managing Trustee

M/s. TAGORE MEDICAL AND DENTAL COLLEGE CAMPUS WITH HOSPITAL (TAGORE EDUCATIONAL TRUST)

S.F No. 83, 84 (P), 87/4, 87/7, 89/1B (P), 92/1, 92/2, 92/3, 92/4, 93/1, 93/2, 93/3A, 93/3B, 93/4, 94/1, 94/4, 94/5, 94/6, 94/7, 95/1A, 95/1B, 95/1C, 95/1D, 95/2, 97/1, 97/2, 97/3, 97/4, 97/5, 97/6, 97/7, 97/8, 97/9, 97/10, 97/11, 97/12A, 97/12B, 97/13, 126/1, 126/2A, 126/2B, 126/2C, 126/2D, 126/3, 126/4B, 126/8, 126/9B, 127/1, 127/2, 127/3, 127/4A, 127/4B, 127/5, 127/6, 127/7, 127/8, 127/9A, 127/9B, 127/10, 127/11, 127/12, 127/13, 127/14, 127/15, 127/16, 128/1, 129/1A, 129/1B, 129/1C, 129/2A, 129/2B, 129/3A, 129/3B, 130/1A, 130/1B, 130/2, 130/3, 130/4, 130/5A, 130/5B, 131/1, 131/2A, 131/2B, 131/3, 131/4, 131/5, 131/6, 132/1, 132/2, 132/3, 132/5, 132/6A, 132/7, 132/8, 132/9, 132/11, 132/12, 132/13A, 132/13B, 132/14, 132/16, 132/17, 132/18, 132/19A, 132/19B, 133/1A, 133/1B, 133/1D1, 133/1D2, 133/2A, 134/1A2A, 134/1A2B, 134/1B, 134/2, 136/1, 136/2, 136/3, 136/4, 136/5


RUTHIRAMANGALLAM Village

Vandalur Taluk

Chengalpattu District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MEENKUNDRAM TAMIL NADU
Chennai.

This CONSENT is valid for the period ending **March 31, 2025**

S RAJAN

Digitally signed by S
RAJAN
Date: 2023.05.19
11:55:02 +05'30'

**For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai**

To

Managing Trustee,

M/s.TAGORE MEDICAL AND DENTAL COLLEGE CAMPUS WITH HOSPITAL (TAGORE EDUCATIONAL TRUST),

M/s. Tagore Educational Trust,

27-29, Tilak Street, T.Nagar,

Chennai - 600 017

Pin: 600017

Copy to:

- 1.The Commissioner, KATTANKULATHUR-Panchayat Union, Vandalur Taluk, Chengalpattu District .
2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, MARAIMALAI NAGAR.
3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
4. File



DEAN

**TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.**

SPECIAL CONDITIONS

1. This consent to operate is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	Educational Institution Comprising of Medical and Dental College Campus with Hospital of 818 beds, Gents Hostel, Ladies Hostel, Staff Quarters, Nurses Quarters, Animal House, and Amenities with total Built up area of	91595	Sq.mts

2. This consent to operate is valid for operating the facility with the below mentioned permitted outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Type : Sewage			
1.	Sewage	480.0	206 KLD-Toilet Flushing, 113.5 KLD-Greenbelt & Landscape, 38KLD-OSR, 51.5 KLD-Dust Suppression, 71 KLD - Avenue Plantation
Effluent Type : Trade Effluent			
1.	Trade Effluent	37.0	12.5 KLD - Laundry, 17.5 KLD - Dust Suppression, 7KLD - Greenbelt & Landscape

3. The effluent discharge shall not contain constituents in excess of the tolerance Limits as laid down hereunder.


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

Sl. No.	Parameters	Unit	TOLERANCE LIMITS - OUTLETS -Nos			
			Sewage		Trade Effluent	
			1		1	
1.	pH		5.5 to 9		5.5 to 9	
2.	Temperature	oC	-		shall not exceed 5°C above the receiving water temperature	
3.	Particle size of Suspended solids	-	-		shall pass 850 micron IS sieve	
4.	Total Suspended Solids	mg/l	30		100	
5.	Total Dissolved solids (inorganic)	mg/l	-		2100	
6.	Oil & Grease	mg/l	-		10	
7.	Biochemical Oxygen Demand (3 days at 27oC)	mg/l	20		30	
8.	Chemical Oxygen Demand	mg/l	-		250	
9.	Chloride (as Cl)	mg/l	-		1000	
10.	Sulphates (as SO4)	mg/l	-		1000	
11.	Total Residual Chlorine	mg/l	-		1	
12.	Ammonical Nitrogen (as N)	mg/l	-		50	
13.	Total Kjeldahl Nitrogen (as N)	mg/l	-		100	
14.	Free Ammonia (as NH3)	mg/l	-		5	
15.	Arsenic (as As)	mg/l	-		0.2	
16.	Mercury (as Hg)	mg/l	-		0.01	
17.	Lead (as Pb)	mg/l	-		0.1	
18.	Cadmium(as Cd)	mg/l	-		2	
19.	Hexavalent Chromium (as Cr+6)	mg/l	-		0.1	
20.	Total Chromium (as Cr)	mg/l	-		2	
21.	Copper (as Cu)	mg/l	-		3	
22.	Zinc (as Zn)	mg/l	-		1	
23.	Selenium (as Se)	mg/l	-		0.05	
24.	Nickel (as Ni)	mg/l	-		3	
25.	Boron (as B)	mg/l	-		2	
26.	Percent Sodium	%	-		-	
27.	Residual Sodium Carbonate	mg/l	-		-	
28.	Cyanide (as CN)	mg/l	-		0.2	
29.	Fluoride (as F)	mg/l	-		2	
30.	Dissolved Phosphates(as P)	mg/l	-		5	
31.	Sulphide (as S)	mg/l	-		2	
32.	Pesticides	mg/l	-			
33.	Phenolic Compounds (as C6H5OH)	mg/l	-		1	
34.	Radioactive materials a) Alpha emitters	micro curie/ml	-		10-7	
35.	Radioactive materials b). Beta emitters	micro curie/ml	-		10-6	


 DEAN
 TAGORE MEDICAL COLLEGE & HOSPITAL
 RATHINAMANGALAM, MELAKOTTAIYUR POST
 Chennai-600 127.

36.	Fecal Coliform	MPN/100ml	-	-	-	-
-----	----------------	-----------	---	---	---	---

4. All units of the sewage and Trade effluent treatment plants shall be operated efficiently and continuously so as to achieve the standards prescribed in SI No.3 above or to achieve the zero liquid discharge of effluent as applicable.
5. The occupier shall maintain the Electro Magnetic Flow Meters/water Meters installed at the inlet of the water supply connection for each of the purposes mentioned below for assessing the quantity of water used and ensuring that such meters are easily accessible for inspection and maintenance and for other purposes of the Act.
 - a. Industrial Cooling, Spraying in mine pits or boiler feed.
 - b. Domestic purpose.
 - c. Process.
6. The occupier shall maintain the Electro Magnetic Flow Meters with computer recording arrangement for measuring the quantity of effluent generated and treated for the monitoring purposes of the Act.
7. Log book for each of the unit operations of ETP have to be maintained to reflect the working condition of ETP along with the readings of the Electro Magnetic Flow Meters installed to assess effluent quantity and the same shall be furnished for verification of the Board officials during inspection.
8. The occupier shall at his own cost get the samples of effluent/surface water/ground water collected in and around the unit by Board officials and analyzed by the TNPC Board Laboratory periodically.
9. Any upset condition in any of the plants of the factory which is, likely to result in increased effluent discharge and result in violation of the standards mentioned in SI. No.3 above shall be reported to the Member Secretary / Joint Chief Environmental Engineer-Monitoring and the concerned District/Assistant Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.
10. The occupier shall always comply and carryout the order/directions issued by the Board in this Consent Order and from time to time without any negligence. The occupier shall be liable for action as per provisions of the Act in case of non compliance of any order/directions issued.
11. The occupier shall develop adequate width of green belt at the rate of 400 numbers of trees per Hectare.
12. The occupier shall provide and maintain rain water harvesting facilities.
13. The occupier shall ensure that there shall not be any discharge of effluent either treated or untreated into storm water drain at any point of time.
14. In the case of zero liquid discharge of effluent units, the occupier shall adhere the following conditions as laid under.
 - i). The occupier shall ensure zero liquid discharge of effluent, thereby no discharge of untreated / treated effluent on land or into any water bodies either inside or outside the premises at any point of time.
 - ii) The occupier shall operate and maintain the Zero liquid discharge treatment components comprising of Primary, Secondary and tertiary treatment systems at all times and ensure that the RO permeate/Evaporator condensate shall be recycled in the process and the final RO reject shall be disposed off with the reject management system ensuring zero liquid discharge of effluents in the premises.
 - iii) The occupier shall operate and maintain the reject management system effectively and recover the salt from the system which shall be reused in the process if reusable or shall be disposed off as ETP sludge.
 - iv) In case of failure to achieve zero discharge of effluents for any reason, the occupier shall stop its production and operations forthwith and shall be reported to the Member Secretary/Joint Chief Environmental Engineer-Monitoring and the concerned District/Assistant Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.
 - v) The occupier shall restart the production only after ascertaining that the Zero discharge treatment system can perform effectively for achieving zero discharge of effluents.

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize "Mission LiFE" logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt "Mission LiFE" action points and document the same and furnish half yearly report to Board.

Additional Conditions:


 DEAN
 TAGORE MEDICAL COLLEGE & HOSPITAL
 RATHINAMANGALAM, MELAKOTTAIYUR
 Chennai-600 127.

1. The conditions stipulated in the Environmental Clearance issued by SEIAA, TN vide Letter No. SEIAA-TN/F.No.9461/EC/8(a)/898/2022 dated :13.01.2023 shall be complied with.
2. In accordance with Item No.11 of the EIA Notification, 2006, any new industry shall obtain NOC from MoEF/ SEIAA in the event of transfer of original EC in a different name.
3. The unit shall operate and maintain the STP provided efficiently and continuously so as to satisfy the standards prescribed by the Board and shall satisfy the standards prescribed in the NGT (PB) Order dated 30.04.2019 in O.A. No. 1069/2018.
4. The unit shall utilise the treated sewage for Toilet flushing - 206 KLD, Greenbelt & Landscaping development - 113.50 KLD, OSR greeneries - 38 KLD, Dust Suppression - 51.50 KLD and 71 KLD for avenue plantation after achieving the standards prescribed by the Board.
5. The unit shall operate and maintain UV disinfection system in the STPs so as to disinfect the treated sewage before utilisation.
6. The unit shall operate and maintain the ETP provided efficiently and continuously so as to satisfy the standards prescribed by the Board
7. The unit shall ensure that the disinfected trade effluent shall not be discharged into the STP for further treatment
8. The unit shall utilise the treated trade effluent of 12.5 KLD for Laundry, 17.50 KLD for dust suppression and 7 KLD for Greenbelt & Landscaping after achieving the standards prescribed by the Board.
9. The unit shall comply with all the provisions of the Bio-Medical Waste Management Rules, 2016.
10. The unit shall ensure that the disinfected trade effluent shall not be discharged into the STP for further treatment.
11. The unit shall take necessary measures to increase/maximise the efficiency of the RO/RMS system provided for the ETP, so as to maximise the reuse of the treated effluent in the hospital's activity.
12. The unit shall periodically analyse the treated sewage and trade effluent samples and furnish ROA to the Board.
13. The unit shall maintain the EMFM provided at STP inlet & outlet and shall be connected with automated Computer recording system to monitor the flow.
14. The unit shall maintain EMFM at ETP inlet & outlet and shall be connected with automated Computer recording system to monitor the flow.
15. It shall be taken action to install the OCEMS in the outlet of the STP and effluent treatment plant I and II by following the procedure and guidelines for OCEMS 2018 as recommended by CPCB for continuous monitoring of treated waste water parameters by making connectivity with WQW of TNPCB.
16. The liquid waste generated due to infected secretions, aspirated body fluids, chemical liquid waste from laboratory, labour room, operation theatre, infected body secretions such as blood shall be collected and handed over to an industry or vendor authorized by TNPCB for the purpose of their utilization or shall be disinfected separately before treated in the ETP.
17. The unit shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed in the Bio-medical Waste Management (Amendment) Rules, 2018.
18. The unit shall ensure to phase out use of chlorinated plastic bags, and gloves (excluding blood bags) as per Bio-medical Waste Management (Amendment) Rules, 2018.
19. The unit shall provide training to all its health care workers and others involved in handling of bio-medical waste at the time of induction and thereafter at least once every year.
20. The unit shall provide and maintain bar coding system for bags and containers containing BMW at all times to be sent for the further treatment and disposal.
21. The unit shall maintain log book in terms of types of BMW categories in Kgs for collection and disposal of bio medical waste for treatment to the common bio medical waste treatment facility & disposal facility and the same shall be furnished during inspection.
22. The unit shall maintain separate closed roof shed for storage of BMW in the unit premises.
23. The unit shall make available the annual report on its website as per the Bio-medical Waste Management (Amendment) Rules, 2018.
24. The unit shall comply with Notifications, Guidelines and standards issued by the MOEF&CC,GOI and the CPCB from time to time.
25. The unit shall ensure that the Non Hazardous wastes generated are disposed then and there without accumulating the same within the unit premises.
26. The unit shall obtain Authorization under Bio-Medical Waste Management Rules, 2016 for the increase in number of beds to 818 Nos.
27. The unit shall renew and have valid agreements with the CBMWTF at all times.
28. The unit shall comply with E-Waste Management Rules 2016. E-Waste as listed in schedule -I, generated by them shall be channelized through collection centre or dealer of authorized producer or dismantler or recycler or through the designated take back service provider of the producer to authorized dismantler or recycler. The unit shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the TNPCB. The unit shall file annual

DEAN

TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

- returns in Form-3, to the TNPCB on or before the 30th day of June following the financial year.
29. The unit shall not use "Use and throwaway plastics" irrespective of thickness such as plastic sheets used for food wrapping, spreading on dining etc., plastic plates, plastics coated tea cups, plastic tumbler, water pouches and packets, plastic straw, plastic carry bag and plastic flags within the premises. Instead the UNIT shall encourage use of eco-friendly alternatives such as banana leaf, Arecanut palm plate, stainless steel, Glass, Porcelain plates/cups, Cloth bag, Jute bag etc.
30. Rain water harvesting system installed within the premises shall be maintained properly so as to recharge the ground water.
31. The unit shall remit consent fee in case of revision by the Government.
32. This consent order does not absolve from obtaining necessary permission/clearance from other Authority or under other statues as applicable.

S RAJAN Digitally signed by S
RAJAN
Date: 2023.05.19
11:55:39 +05'30'
For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai



DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

GENERAL CONDITIONS

1. The occupier shall make an application along with the prescribed consent fee for grant of renewal of consent at least 60 days before the date of expiry of this Consent Order along with all the required particulars ensuring that there is no change in Production quantity and change in sewage/Trade effluent.
2. This Consent is issued by the Board in consideration of the particulars given in the application. Any change or alteration or deviation made in actual practice from the particulars furnished in the application will also be ground for review/variation/revocation of the Consent Order under Section 27 of the Act and to make such variation as deemed fit for the purpose of the Act.
3. The consent conditions imposed in this order shall continue in force until revoked under Section 27(2) of the Act.
4. After the issue of this order, all the 'Consent to Operate' orders issued previously under Water (Prevention and Control of Pollution) Act, 1974 as amended stands defunct.
5. The occupier shall maintain an Inspection Register in the factory so that the inspecting officer shall record the details of the observations and instructions issued to the unit at the time of inspection for adherence.
6. The occupier shall provide and maintain an alternate power supply along with separate energy meter for the Effluent Treatment Plant sufficient to ensure continuous operation of all pollution control equipments to maintain compliance.
7. The occupier shall provide all facilities to the Board officials for inspection and collection of samples in and around the factory at any time.
8. The occupier shall display the flow diagram of the sources of effluent generation and pollution control systems provided at the ETP site.
9. The solid waste such as sweepings, wastage, package, empty containers, residues, sludge including that from air pollution control equipments collected within the premises of the industrial plant shall be collected in an earmarked area and shall be disposed off properly.
10. The occupier shall collect, treat the solid wastes like food waste, green waste generated from the canteen and convert into organic compost.
11. The occupier shall segregate the Hazardous waste from other solid wastes and comply in accordance with Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.
12. The occupier shall maintain good house-keeping within the factory premises.
13. All pipes, valves, sewers and drains shall be leak proof. Floor washings shall be admitted into the trade effluent collection system only and shall not be allowed to find their way in storm drains or open areas.
14. The occupier shall ensure that there shall not be any diversion or by-pass of trade effluent on land or into any water sources.
15. The occupier shall ensure that solar Evaporation pans shall be constructed in such a way that the bottom of the solar pan is at least 1 m above the Ground level (if applicable).
16. The occupier shall furnish the following returns in the prescribed formats to the concerned District office regularly.
 - a) Monthly water consumption returns of each of the purposes with water meter readings in Form-I on or before 5th of every month.
 - b) Yearly return on Hazardous wastes generated and accumulated for the period from 1st April to 31st March in Form-4 before the end of the subsequent 30th June of every year (if applicable).
 - c) Yearly Environmental Statement for the period from 1st April to 31st March in Form -V before the end of the subsequent 30th September of every year(if applicable).
17. If applicable, the occupier has to comply with the provisions of Public Liability Insurance Act, 1991 to provide immediate relief in the event of any hazard to human beings, other living creatures/plants and properties while handling and storage of hazardous substances.
18. The issuance of this consent does not authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any natural watercourse or in Government Poramboke lands.
19. The issuance of this Consent does not convey any property right in either real personal property or any exclusive privileges, nor does it authorize any injury to private property or Government property or any invasion of personal rights nor any infringement of Central, State laws or regulation.


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

20. The occupier shall forth with keep the Board informed of any accident of unforeseen act or event of any poisonous, noxious or polluting matter or emissions are being discharged into stream or well or air as a result of such discharge, water or air is being polluted.
21. If due to any technological improvements or otherwise the Board is of opinion that all or any of the conditions referred to above requires variation (including the change of any treatment system, either in whole or in part) the Board shall, after giving the applicant an opportunity of being heard, vary all or any of such conditions and thereupon the applicant shall be bound to comply with the conditions as so varied.
22. In case there is any change in the constitution of the management, the occupier of the new management shall file fresh application under Water (Prevention and Control of Pollution) Act, 1974, as amended in Form-II alongwith relevant documents of change of management immediately and get the necessary amendment with renewal of consent order.
23. In case there is any change in the name of the company alone, the occupier shall inform the same with relevant documents immediately and get the necessary amendments for the change of name from the Board.
24. The occupier shall display this consent order granted to him in a prominent place for perusal of the inspecting Officers of this Board.

S RAJAN

Digitally signed by S

RAJAN

Date: 2023.05.19

11:56:01 +05'30'

For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai



DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

Category of the Industry :

RED



CONSENT ORDER NO. 2305250409696 DATED: 18/05/2023.

PROCEEDINGS NO.T2/TNPCB/F.0826MMN/RL/MMN/A/2023 DATED: 18/05/2023

SUB: Tamil Nadu Pollution Control Board –CONSENT TO OPERATE –DIRECT –M/s. TAGORE MEDICAL AND DENTAL COLLEGE CAMPUS WITH HOSPITAL (TAGORE EDUCATIONAL TRUST) , S.F.No. 83, 84 (P), 87/4, 87/7, 89/1B (P), 92/1, 92/2, 92/3, 92/4, 93/1, 93/2, 93/3A, 93/3B, 93/4, 94/1, 94/4, 94/5, 94/6, 94/7, 95/1A, 95/1B, 95/1C, 95/1D, 95/2, 97/1, 97/2, 97/3, 97/4, 97/5, 97/6, 97/7, 97/8, 97/9, 97/10, 97/11, 97/12A, 97/12B, 97/13, 126/1, 126/2A, 126/2B, 126/2C, 126/2D, 126/3, 126/4B, 126/8, 126/9B, 127/1, 127/2, 127/3, 127/4A, 127/4B, 127/5, 127/6, 127/7, 127/8, 127/9A, 127/9B, 127/10, 127/11, 127/12, 127/13, 127/14, 127/15, 127/16, 128/1, 129/1A, 129/1B, 129/1C, 129/2A, 129/2B, 129/3A, 129/3B, 130/1A, 130/1B, 130/2, 130/3, 130/4, 130/5A, 130/5B, 131/1, 131/2A, 131/2B, 131/3, 131/4, 131/5, 131/6, 132/1, 132/2, 132/3, 132/5, 132/6A, 132/7, 132/8, 132/9, 132/11, 132/12, 132/13A, 132/13B, 132/14, 132/16, 132/17, 132/18, 132/19A, 132/19B, 133/1A, 133/1B, 133/1D1, 133/1D2, 133/2A, 134/1A2A, 134/1A2B, 134/1B, 134/2, 136/1, 136/2, 136/3, 136/4, 136/5, RUTHIRAMANGALLAM village Vandalur Taluk and Chengalpattu District - Consent for operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) –Issued- Reg.

Ref: 1. Unit's application no. 50409696 dated: 30.03.2023.
2. IR.No : F.0826MMN/RL/AE/MMN/2023 dated 11/05/2023
3. Minutes of the 214th TSC meeting vide item No. 214-09 dated:11.05.2023.

CONSENT TO OPERATE is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

Managing Trustee

M/s . TAGORE MEDICAL AND DENTAL COLLEGE CAMPUS WITH HOSPITAL (TAGORE EDUCATIONAL TRUST)

S.F.No. 83, 84 (P), 87/4, 87/7, 89/1B (P), 92/1, 92/2, 92/3, 92/4, 93/1, 93/2, 93/3A, 93/3B, 93/4, 94/1, 94/4, 94/5, 94/6, 94/7, 95/1A, 95/1B, 95/1C, 95/1D, 95/2, 97/1, 97/2, 97/3, 97/4, 97/5, 97/6, 97/7, 97/8, 97/9, 97/10, 97/11, 97/12A, 97/12B, 97/13, 126/1, 126/2A, 126/2B, 126/2C, 126/2D, 126/3, 126/4B, 126/8, 126/9B, 127/1, 127/2, 127/3, 127/4A, 127/4B, 127/5, 127/6, 127/7, 127/8, 127/9A, 127/9B, 127/10, 127/11, 127/12, 127/13, 127/14, 127/15, 127/16, 128/1, 129/1A, 129/1B, 129/1C, 129/2A, 129/2B, 129/3A, 129/3B, 130/1A, 130/1B, 130/2, 130/3, 130/4, 130/5A, 130/5B, 131/1, 131/2A, 131/2B, 131/3, 131/4, 131/5, 131/6, 132/1, 132/2, 132/3, 132/5, 132/6A, 132/7, 132/8, 132/9, 132/11, 132/12, 132/13A, 132/13B, 132/14, 132/16, 132/17, 132/18, 132/19A, 132/19B, 133/1A, 133/1B, 133/1D1, 133/1D2, 133/2A, 134/1A2A, 134/1A2B, 134/1B, 134/2, 136/1, 136/2, 136/3, 136/4, 136/5

RUTHIRAMANGALLAM Village

Vandalur Taluk

Chengalpattu District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.
This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

This CONSENT is valid for the period ending **March 31, 2025**

Digitally signed by S
RAJAN
Date: 2023.05.19
11:44:41 +05'30'
**For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai**

To
Managing Trustee,
M/s.TAGORE MEDICAL AND DENTAL COLLEGE CAMPUS WITH HOSPITAL (TAGORE EDUCATIONAL TRUST),
M/s. Tagore Educational Trust,
27-29, Tilak Street, T.Nagar,
Chennai - 600 017

Pin: 600017

Copy to:

- 1.The Commissioner, KATTANKULATHUR-Panchayat Union, Vandalur Taluk, Chengalpattu District .
 2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, MARAIMALAI NAGAR.
 3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
 4. File
-


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

SPECIAL CONDITIONS

1. This consent to operate is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	Educational Institution Comprising of Medical and Dental College Campus with Hospital of 818 beds, Gents Hostel, Ladies Hostel, Staff Quarters, Nurses Quarters, Animal House, and Amenities with total Built up area of	91595	Sq.mts

2. This consent to operate is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

I Point source emission with stack :				
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr
1	DG Set - 500 KVA	Acoustic enclosures with stack	25	
2	DG Set - 500 KVA	Acoustic enclosures with stack	25	
3	DG Set - 250 KVA	Acoustic enclosures with stack	25	
II Fugitive/Noise emission :				
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	
1.	DG Sets	Noise	Acoustic Enclosure (Each)	

- 3(a). The emission shall not contain constituents in excess of the tolerance limits as laid down hereunder :

Sl.	Parameter	Unit	Tolerance limits	Stacks
-----	-----------	------	------------------	--------

Annexure enclosed if applicable. :-

- 3.(b) The Ambient Air in the industrial plant area shall not contain constituents in excess of the tolerance limits prescribed below.



 DEAN
 TAGORE MEDICAL COLLEGE & HOSPITAL
 RATHINAMANGALAM, MELAKOTTAIYUR POST
 Chennai-600 127.

Sl. No.	Pollutant	Time Weighted Average	Unit	Tolerance Limits	
				Industrial, Residential, Rural and other area	Ecologically Sensitive Area (notified by Central Govt.)
1.	Sulphur Dioxide (SO ₂)	Annual 24 hours	microgram/m ³ microgram/m ³	50 80	20 80
2.	Nitrogen Dioxide (NO ₂)	Annual 24 hours	microgram/m ³ microgram/m ³	40 80	30 80
3.	Particulate Matter (Size Less than 10 micro M) or PM ₁₀	Annual 24 hours	microgram/m ³ microgram/m ³	60 100	60 100
4.	Particulate Matter (Size Less than 2.5 micro M) or PM _{2.5}	Annual 24 hours	microgram/m ³ microgram/m ³	40 60	40 60
5.	Ozone (O ₃)	Annual 24 hours	8 Hours 1 Hour	100 180	100 180
Sl. No.	Pollutant	Time Weighted Average	Unit	Tolerance Limits	
				Industrial, Residential, Rural and other area	Ecologically Sensitive Area (notified by Central Govt.)
6.	Lead (Pb)	Annual 24 hours	microgram/m ³ microgram/m ³	0.5 1.0	0.5 1.0
7.	Carbon Monoxide (CO)	8 Hours 1 Hour	miligram/m ³ miligram/m ³	02 04	02 04
8.	Ammonia (NH ₃)	Annual 24 hours	microgram/m ³ microgram/m ³	100 400	100 400
9.	Benzene (C ₆ H ₆)	Annual	microgram/m ³	5	5
10.	Benzo(O) Pyrene (BaP) -particulate phase only	Annual	nanogram/m ³	01	01
11.	Arsenic (As)	Annual	nanogram/m ³	06	06
12.	Nickel (Ni)	Annual	nanogram/m ³	20	20

3(c) The Ambient Noise Level in the industrial plant area shall not exceed the limits prescribed below:

Limits in L.eq.-dB(A)	Day Time	Night Time
Residential Area	55	45

- All units of the Air pollution control measures shall be operated efficiently and continuously so as to achieve the standards prescribed in Sl. No.3 above.
- The occupier shall not change or alter quality or quantity or the rate of emission or replace or alter the air pollution control equipment or change the raw material or manufacturing process resulting in change in quality and/or quantity of emissions without the previous written permission of the Board.
- The occupier shall maintain log book regarding the stack monitoring system or operation of the plant or any other particulars for each of the unit operations of air pollution control systems to reflect the working condition which shall be furnished for verification of the Board officials during inspection.
- The occupier shall at his own cost get the samples of emission/air/noise levels collected and analyzed by the TNPC Board Laboratory once in every 6 months/once in a year/periodically for the parameters as prescribed.


 DEAN
 TAGORE MEDICAL COLLEGE & HOSPITAL
 RATHINAMANGALAM, MELAKOTTAIYUR POST,
 Chennai-600 127.

8. Any upset condition in any of the plants of the factory which is likely to result in increased emissions and result in violation of the standards mentioned in Sl.No.3 shall be reported to the Member Secretary / Joint Chief Environmental Engineer-Monitoring and the concerned District/Assistant Environmental Engineer of the Board by e-mail immediately and subsequently by Post with full details of such upset condition.
9. The occupier shall always comply and carryout the order/directions issued by the Board in this Consent Order and from time to time without any negligence. The occupier shall be liable for action as per provisions of the Act in case of non compliance of any order/directions issued.

Special Additional Conditions:

The unit shall obtain No Objection Certificate (NOC) from the Tamil Nadu Bio Diversity Board /National Bio Diversity Authority if the unit is using any Biological resources or knowledge associated thereto as per the provisions of Biological Diversity Act 2002.

The industries shall take all efforts to use and popularize "Mission LiFE" logo and mascot which is available in TNPCB & MoEFCC website. They shall also request their employees to adopt "Mission LiFE" action points and document the same and furnish half yearly report to Board.

Additional Conditions:

1. The conditions stipulated in the Environmental Clearance issued by SEIAA, TN vide Letter No.SEIAA-TN/F.No.9461/EC/8(a)/898/2022 dated :13.01.2023 shall be complied with.
2. In accordance with Item No.11 of the EIA Notification, 2006, any new industry shall obtain NOC from MoEF/ SEIAA in the event of transfer of original EC in a different name.
3. The unit shall maintain the acoustic enclosures with stack provided for the DG sets efficiently and continuously so as to satisfy the AAQ/Emission standards prescribed by the Board.
4. The unit shall adhere to the ANL standards prescribed by the Board.
5. The unit shall develop green belt by planting tall tree saplings (Kurunkadugal scheme) [1000 saplings shall be planted in each Kurunkadu with spacing of 5x5m for each tree and sapling should be 5 to 7 ft height, collar girth should be at least one rupee size, 8-10 months old saplings and bag size required for sapling is 30x45cm] within the unit premises or suitable land shall be identified in nearby schools, colleges, common places, Government organizations, Natham Poramboke, private areas, etc.
6. The unit shall ensure that no process emission is generated at any stage of its activity
7. The unit shall adhere to Ambient Air Quality/emission standards prescribed by the Board
8. The unit shall satisfy the Ambient Noise Level Standards prescribed by the Board.
9. The unit shall remit consent fee in case of revision by the Government.
10. This consent order does not absolve from obtaining necessary permission/clearance from other Authority or under other statues as applicable.

Digitally signed by S
RAJAN
Date: 2023.05.19
11:52:20 +05'30'
S RAJAN
For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

GENERAL CONDITIONS

1. The occupier shall make an application along with the prescribed consent fee for grant of renewal of consent at least 60 days before the date of expiry of this Consent Order along with all the required particulars ensuring that there is no change in production quantity and emission.
2. This Consent is given by the Board in consideration of the particulars given in the application. Any change or alteration or deviation made in actual practice from the particulars furnished, in the application will also be ground for review/variation/revocation of the Consent Order under Section 21 of the Act.
3. The conditions imposed shall continue in force until revoked under Section 21 of the Act.
4. After the issue of this order, all the 'Consent to Operate' orders issued previously under Air (Prevention and Control of Pollution) Act, 1981 as amended stands defunct.
5. The occupier shall maintain an Inspection Register in the factory so that the inspecting officer shall record the details of the observations and instructions issued to the unit at the time of inspection for adherence.
6. The occupier shall provide and maintain an alternate power supply along with separate energy meter for the Air Pollution Control measures sufficient to ensure continuous operation of all pollution control equipments to ensure compliance.
7. The occupier shall provide all facilities to the Board officials for collection of samples in and around the factory at any time.
8. The applicant shall display the flow diagram of the sources of emission and pollution control systems provided at the site.
9. The liquid effluent arising out of the operation of the air pollution control equipment shall also be treated in a manner and to the satisfaction of standards prescribed by the Board in accordance with the provisions of Water (Prevention and Control of Pollution) Act, 1974 as amended.
10. The air pollution control equipments, location of inspection chambers and sampling port holes shall be made easily accessible at all time.
11. In case of any episodal discharge of emission, the industry shall take immediate action to bring down the emission within the limits prescribed by the Board.
12. If applicable, the occupier has to comply with the provisions of Public Liability Insurance Act, 1991 to provide immediate relief in the event of any hazard to human beings, other living creatures/plants and properties while handling and storage of hazardous substances.
13. The issuance of this consent does not authorize or approve the construction of any physical structures or facilities or the undertaking of any work in any natural watercourse or in Government Poramboke lands.
14. The issuance of this Consent does not convey any property right in either real personal property or any exclusive privileges, nor does it authorize any injury to private property or Government property or any invasion of personal rights nor any infringement of Central, State laws or regulation.
15. The occupier shall forth with keep the Board informed of any accident of unforeseen act or event of any poisonous, noxious or polluting matter or emissions are being discharged into stream or well or air as a result of such discharge, water or air is being polluted.
16. If due to any technological improvements or otherwise the Board is of opinion that all or any of the conditions referred to above requires variation (including the change of any treatment system, either in whole or in part) the Board shall, after giving the applicant an opportunity of being heard, vary all or any of such conditions and thereupon the applicant shall be bound to comply with the conditions as so varied.
17. In case there is any change in the constitution of the management, the occupier of the new management shall file fresh application under Air (Prevention and Control of Pollution) Act, 1981, as amended in Form-I alongwith relevant documents of change of management immediately and get the necessary amendment with renewal of consent order.
18. In case there is any change in the name of the company alone, the occupier shall inform the same with relevant documents immediately and get the necessary amendments for the change of name from the Board.


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

19. The occupier shall display this consent order granted to him in a prominent place for perusal of the inspecting Officers of this Board.

S RAJAN
Digitally signed by S
RAJAN
Date: 2023.05.19
11:52:43 +05'30'
For Member Secretary,
Tamil Nadu Pollution Control Board,
Chennai



DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST.
Chennai-600 127.



TAMILNADU POLLUTION CONTROL BOARD

FORM IV

[See rule 8(4)]

(Authorisation for Collection, Storage and Disposal of Biomedical Waste)

Renewal of Authorization No: BMW-0001

1. File number of authorisation and date of issue: JCEE(M)/TNPCB/CHN/FBMW-124/MMN-RS/2014

Dated 27.06.2014

2. THE DIRECTOR, M/s G.J. MULTICLAVE (INDIA) PVT LTD, is hereby authorized to operate a Facility for collection, reception, storage, transportation and disposal of biomedical waste of 220T/Month in the premises situated at

Survey Number	: 245
Village	: THENMELPAKKAM
Taluk	: CHENGALPATTU
District	: KANCHEEPURAM.

3. This authorisation shall be in force for a period of three years from the date of issue.

4. This authorisation is subject to the conditions enclosed in Annexure I & II and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Dated : 27.06.2014

To

The Director,
M/s .G.J.Multiclave (India) Pvt Ltd,
Jain Temple Tower Front Block,
162,GST Road,
Tambaram Sanatorium,
Chennai-600 045

Copy to

1.The District Environmental Engineer,
Tamil Nadu Pollution Control Board,
MM Nagar.

2. BMS.

3. Technical File.

Joint Chief Environmental Engineer (M)
JOINT CHIEF ENVIRONMENTAL ENGINEER (M)
TAMIL NADU POLLUTION CONTROL BOARD
CHENNAI REGION

Dean
DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 077.

TAMILNADU POLLUTION CONTROL BOARD

CONSENT ORDER NO. 19801 (EXPANSION) CTO DATED: 17.09.2013.

PROCEEDINGS NO: TNPCB/BMWM/31499//RS/MMN/W/2013 DATED: 17.09.2013

Consent for Existing (Expansion CTO) discharge of sewage and trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974.

SUB: TAMILNADU POLLUTION CONTROL BOARD – CONSENT TO OPERATE (Expansion) – M/S. GJ MULTICLAVE (INDIA) PVT LTD., S.F.No.245, Thenmelpakkam Village, Chengalpattu Taluk, Kancheepuram District for the discharge of sewage and trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974.

REF: 1. Proc.No.T1/TNPCBD/F3599/KPMW/2002 Dated: 09.10.2003.
2. Your Application dated 28.03.2013 vide CC16655 dated: 23.08.2013.
3. IR No.F/MMN00355/RS/DEE/MMN/2012 dated: 10.07.2013.
4. Minutes of the CC Committee vide Item No.149 – 12.

CONSENT is hereby granted under the Section 25 of the Water (Prevention and Control of Pollution) Act, 1974, (Central Act, 6 of 1974) herein after referred to as ("The Act") and the rules and orders made there under to

The Director,
M/S. GJ MULTICLAVE (INDIA) PVT LTD.,
S.F.No.245, Thenmelpakkam Village,
Chengalpattu Taluk,
Kancheepuram District.

herein after referred to as ("The Applicant") authorizing him to bring into make existing (expansion) discharge of sewage and trade effluent.


DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, TAMILNADU

POLLUTION PREVENTION PAYS

அகம் தூய்மை வாய்மைக்கு! புறம் தூய்மை வாழ்வுக்கு!



TAMILNADU POLLUTION CONTROL BOARD

This is subject to the provision of the Act and the rules and orders made there under and further subject to the terms and conditions incorporated in the Special and General conditions annexed.

This CONSENT is valid for a period ending with the 31.03.2014.

(Thirty First March Two Thousand Fourteen)

Sd-xxxx
Chairman

To

The Director,
M/s. GJ Multiclave (India) Pvt. Ltd.
New No. 37, Old No. 20,
Teacher's Colony, (Near Kasturibai Nagar),
Adyar, Chennai - 20.

Copy to

1. District Environmental Engineer,
Tamil Nadu Pollution Control Board,
Maraimalai Nagar.
2. The Commissioner,
Kattankulathur Panchayat Union,
Kancheepuram District.
3. BMS.
4. Technical File.

//Forwarded by Order//

M. P.

For Chairman

10/19/13
10/19/13

[Signature]

DEAN
TAGORE MEDICAL COLLEGE & HOSPITAL
RATHINAMANGALAM, MELAKOTTAIYUR POST,
Chennai-600 127.

POLLUTION PREVENTION PAYS

அகம் தூய்மை வாய்மைக்கு! புறம் தூய்மை வாழ்வுக்கு!